



# AIR ANGLE GRINDERS

4 1/2, 5 & 9"



TAG-45MLH  
TAG-50MLH

## TAG-45MLH

- 4 1/2" Angle grinder 13,000 rpm
- M14 spindle
- Compact & lightweight design
- For cutting, grinding & sanding applications
- Suitable for industrial applications
- Vibration damping side handle
- Isolating rubber grip to main tool body
- Silenced exhaust for increased operator comfort

## TAG-50MLH

- 5" Angle grinder 12,000 rpm
- M14 spindle
- Compact & lightweight design
- For cutting, grinding & sanding applications
- Suitable for industrial applications
- Vibration damping side handle
- Isolating rubber grip to main tool body
- Silenced exhaust for increased operator comfort

Type	Brand	Wheel size mm	RPM	Power kW	Spindle (Whitworth) mm	Air cons. l/s	Weight kg	Inlet-thread
TAG-45MLH	TOKU	115 x 22.23	13,000	0.67	M14x2	10.8	1.80	PT 3/8"
TAG-50MLH	TOKU	125 x 22.23	12,000	0.67	M14x2	10.8	1.80	PT 3/8"
TAG-900QJL	TOKU	230 x 22.23	6,500	1.10	N/A	16.6	3.10	PT 3/8"




TAG-900QJL

## TAG-900QJL

- 9" Angle grinder 6,500 rpm
- Toku designed threaded bolt and flange system to secure cut off / grinding wheel
- Compact & lightweight design
- Two-handed operation
- For cutting, grinding & sanding applications
- Suitable for industrial applications
- Vibration damping side handle
- Silenced exhaust for increased operator comfort

## DIMENSIONS



Type	Hose diameter mm	Vibration m/s <sup>2</sup>	Noise level dB(A)
TAG-45MLH	10	2.7	83
TAG-50MLH	10	2.7	83
TAG-900QJL	13	3.6	82

Type	A mm	B mm	C mm	D mm
TAG-45MLH	267	85	33	50
TAG-50MLH	267	85	33	50
TAG-900 QJL	307	103	36	62



## RUBBER PADS

Used with coated abrasives



For type	Part number	Description
TAG-45MLH TAG-50MLH	DCA-BP-115XM14	115mm x M14 Pad
TAG-45MLH TAG-50MLH	DCA-BP-125XM14	125mm x M14 Pad
TAG-900QJL	DCA-BP-178XM14	178mm x M14 Pad


## STANDARD FLANGES & OUTER WHEEL SCREWS



For type	Part number	Description
TAG-45MLH TAG-50MLH	42-05-80-H00*	Outer Flange
TAG-900 QJL	2700-040-00*	Outer Flange
	2700-041-00*	Outer Wheel Screw

\* Supplied as standard

125x22.23 mm  
Disc



Rubber pad pictured with TAG series grinder

## M14 X 2 QUICK NUT

For type	Part number
TAG-45MLH TAG-50MLH	QN-M14



## TOOLS FOR MOUNTING GRINDING WHEELS



For type	Part number	Description
TAG-45MLH TAG-50MLH	13-40-04-014*	Combi Spanner 14 x 19 mm
TAG-45MLH TAG-50MLH	13-08-02-147*	Socket bar
TAG-900QJL	8081-0022-00-00*	Spanner H41
TAG-900QJL	9610-1010-00-00*	Hex Wrench H10

## RED ROOSTER ATLUB OIL

All Toku Industrial grinders should be oiled regularly with Red Rooster ATLUB oil. This will significantly increase the lifetime of the air motor and reduces future service costs.



For type	Part number	Description
TAG-45MLH TAG-50MLH TAG-900QJL	ATLUB	Lubricating Oil