



# SURFACE STRIPPERS

5 FT LONG REACH  
FLOOR



**TRELAWNY**  
CONSTRUCTION EQUIPMENT



## LR SCRAPER-5

- Suitable for clearing large areas of tiles & general chipping, scraping and scaling applications
- Good ergonomics and well balanced
- 5 ft overall length
- Air cushion vibration damping system for greater operator comfort
- Up to 2,200 blows per minute
- 5.9 kg weight
- Low air consumption
- Use with a separate scraper blade, chisel blade or needle scaler attachment



Please note:  
 Scraper blade / chisel blade / needle attachment are not included with tool but are available to order separately - please see page 214

Shown With Standard  
 Scraper Blade  
 (Not Included)

| Type         | Weight kg | Length mm | Blows p/min | Air cons. l/s / CFM | Inlet-thread | Hose diameter mm | Vibration m/s <sup>2</sup> | Noise level dB(A) |
|--------------|-----------|-----------|-------------|---------------------|--------------|------------------|----------------------------|-------------------|
| LR SCRAPER-5 | 5.9       | 1,400     | 2,200       | 2.1 / 4.4           | PT 1/4"      | 10               | 11.4                       | 95.9              |



## TFS230

- Compact, mobile and tough floor stripper
- Removal of carpet tiles, sheet material such as vinyl and other soft floor coverings
- Scraping of adhesives and loose material
- 1.1Kw motor (110v & 230v)
- Productivity - Up to 20m<sup>2</sup> per hour depending on application
- 48Kgs – Optimised weight distribution
- Single point adjustable angle of attack
- Oscillating blade action delivering 1425 blows per minute
- Height adjustable handle for comfort
- Rear Kickplate for control
- Lifting points
- Collapsible handle for transport and storage
- Fits in 600 X 400 X 450 Box for shipping
- Easily transportable in a standard car



Shown With Standard Scraper Blade (Included)  
Replacement standard and winged U Blades are available - please see page 214

| Type   | Weight kg | Working Width mm | Motor RPM | Electric Ampage | Width mm | Length mm | Height mm | Output Power W | Transformer | Vibration m/s <sup>2</sup> | Noise level dB(A) |
|--------|-----------|------------------|-----------|-----------------|----------|-----------|-----------|----------------|-------------|----------------------------|-------------------|
| TFS230 | 48        | 230              | 1425      | 16A             | 335      | 875       | 705       | 1100           | 3Kva        | 11.5                       | 82                |



## LR SCRAPER-5 ACCESSORIES



### Chisel Blade

| Description / Part Number |
|---------------------------|
| 2" Chisel Blade 705.1106  |
| 4" Chisel Blade 705.1102  |

### Scraper Blade

| Description / Part Number |
|---------------------------|
| 4" Scraper Blade 431.3504 |
| 8" Scraper Blade 431.3508 |

### Needle Scaler

| Description / Part Number |
|---------------------------|
| 415.3532                  |

## TFS230 ACCESSORIES

Standard Blade



Winged 'U' Blade



### Replacement Blades

| Description / Part Number         |
|-----------------------------------|
| 5 Pack Standard Blade 323.3509    |
| 5 Pack Winged 'U' Blades 323.3510 |